

Intesis™ Midea Commercial & VRF indoor unit compatibilities

In this document the compatible Midea Air conditioner **indoor units** models with the following Intesis™ AC interfaces are described: / *En este documento se describen las **unidades interiores** de aire acondicionado de Midea compatibles con las siguientes pasarelas Intesis™ para Aire Acondicionado:*

ORDER CODE	LEGACY ORDER CODE
INKNXMID001I000	MD-AC-KNX-1B
INKNXMID016I000	MD-AC-KNX-16
INKNXMID064I000	MD-AC-KNX-64
INMBSMID001I000	MD-AC-MBS-1
INMBSMID004I000	MD-AC-MBS-4
INMBSMID008I000	MD-AC-MBS-8
INMBSMID032I000	MD-AC-MBS-32

The compatible **models** are classified by geographic areas and they always refer to **indoor units**, not references of indoor plus outdoor units. / *Los **modelos** compatibles están clasificados por áreas geográficas y siempre se refieren a **unidades interiores**, no referencias a unidades interiores más exteriores.*

Any AC unit with a model number not specified in this list might not be compatible with the AC interface and therefore can't be used without previously checking the model compatibility, contact your supplier for this. / *Cualquier modelo de aire acondicionado que no esté en la lista puede no ser compatible con la pasarela y por tanto no puede utilizarse sin consultar la compatibilidad del modelo. Contacte con su proveedor para conseguir esta información*

The information, contents and data of any kind contained in the pages of this document are reviewed before its publishing; however, HMS Networks cannot guarantee that it is absolutely free of misprints, typing errors, composition defects and equivalent problems, and we recommend the users pay attention to the possible up-dates of the document. / *La información, contenido y datos de cualquier tipo contenidos en este documento son revisados antes de publicarse; sin embargo, HMS Networks no puede garantizar que está absolutamente libre de erratas, errores de escritura o de composición así como problemas equivalentes. Por este motivo recomendamos a los usuarios estar atentos a las actualizaciones del documento.*

HMS Networks undertakes maximum efforts to avoid any error in the contents that could appear on this document and cannot be responsible for the consequences that could arise out of errors in the contents that could appear on this document. / *HMS Networks realiza el máximo esfuerzo para evitar cualquier error en los contenidos de este documento pero no puede hacerse responsable de las consecuencias que puedan producirse debido a los errores en este documento.*

Issue date / *fecha de publicación*: 04/2020

Compatible Indoor units / Unidades interiores compatibles

All units including the **XYE** connector and compatible with the **MD-CCM03..09/E** central controller are compatible with our solution. / Todas las unidades que incluyan el conector **XYE** y sean compatibles con el control centralizado **MD-CCM03..09/E** son compatibles con nuestra solución.

INDOOR UNIT Type <i>TIPO DE UNIDAD INTERIOR</i>		Reference Referencia
Cassettes	One-way cassette	MDV-DxxQ1/N1-C
		MDV-DxxQ1/N1-D
	One-way cassette VRF	MDV-DxxQ1/N1-D
		MDV-DxxQ1/N1
	Two-way cassette	MDV-DxxQ2/N1
	Compact four-way cassette	MDV-DxxQ4/N1-A3
	Four-way cassette	MDV-DxxQ4/N1-D
	ART FLUX 360° cassette (600x600)	MI-xxQ4/DHN1-A3
	ART FLUX 360° cassette	MI-xxQ4/DHN1-D
	Compact (600x600) Multi	MCA3I-xxHRFNx-QRD0
		MCA3U-xxHRFNx-QRD0W
		MCA3I-xxFNXD0
		MCA3I-xxHRFN1-QRC8
		MCA3U-xxHRFN1-QRD0W
		MCA3-xxHRFN1-QRC8W(B)
	Super Slim (840x840)	MCD-xxFNXD0
		MCD-xxHRFNx-QRD0
		MCD-xxHRFN1-QRC8W(D)
		MCD-xxHRFN1-QRD0
	Cassette 600x600	MCA3U-xxHRFNx-QRD0W
		MCA3U-xxHRFN1-QRD0W
		MCA3-xxHRFN1-QRD0
	Cassette 600x600 2 PIPES / PANEL INCLUDED	MKD-Vxx
	Cassette 600x600 4 PIPES / PANEL INCLUDED	MKD-VxxF
	Cassette VRF 600x600	MI-xxQ4/DHN1-A3
	Cassette VRF 840x840	MI-xxQ4/DHN1-D
	Cassette 840x840 2 PIPES /	VxxR

	PANEL INCLUDED	
	Cassette 840x840 4 PIPES / PANEL INCLUDED	VxxF
Ducted	T1, High Static Pressure	MDV-DxxT1/N1-B
	T2, Medium Static Pressure	MDV-DxxT2/N1-DA5
	T3, Low Static Pressure	MDV-DxxT3/N1-B
		MDV-DxxT3/N1-C
	Slim A5 medium static duct	MDV-DxxT2/N1-DA5
		MDV-DxxT2/N1-CA5
	A5 medium static duct	MDV-DxxT2/N1-BA5
	MIV V4+ medium static duct	MVMxxA-VA1
	High static duct	MDV-DxxT1/N1-B
		MDV-DxxT1/N1
	High static duct (Inverter Fan)	MI-xxT1/DHN1-B
		MI-xxT2/DHN1-DA5
	Multi	MTBI-xxHWFN1-QRD0
		MTB-xxHWFN1-QRC8W(B)
		MTB-xxHWFN1-QRC8W(D)
	A5	MTBU-xxQRD0W
		MTBU-xxHWFN1-QRD0
	A6	MTIU-xxHWFNx-QRD0W(V1)
		MTIU-xxHWFNx-QRD0W
		MTI-xxHWFNx-QRD0(V1)
MTI-xxHWFNx-QRD0		
MTI-xxFNXD0		
MTI-xxHWFN1-QRD0		
MTIU-xxFNXD0		
VRF	MI-xxT2/DHN1-DA5	
	MI-xxT2/DHN1-BA5	
High Pressure DC High capacity VRF	MI-xxT1/DHN1-B	
High Pressure AC High capacity VRF	MDV-DxxT1/N1	
FCU/AHU	FCU/AHU ¹	AHUKZ-xx
		AHUKZ-xxB

¹ To use AHU units, it's necessary to connect the Intesis gateway to the bus XYE of the outdoor unit instead to the indoor unit's bus

Ceiling/floor	Ceiling / floor	MUEU-xxHRFNx-QRD0W
		MUE-xxHRFNx-QRD0
		MDV-DxxDL/N1-C
		MI-xxDL/DHN1-C
		MUE-xxFNXD0
		MUE-xxHRFN1-QRD0
	Ceiling / floor VRF	MI-xxDL/DHN1-C
Floor with / without envelope VRF	MI-DxxZ/N1-F4	
	MDV-DxxZ/N1-F4	
Floor stand type	Exposed type floor standing with side air return	MDV-DxxZ/N1-F4
	Exposed type floor standing with bottom air return	MDV-DxxZ/N1-F5
	Concealed type floor standing	MDV-DxxZ/N1-F3B
Wall-mounted unit	R3 series wall-mounted	MDV-DxxG-R3/N1Y
	C series wall-mounted	MDV-DxxG/DN1YB
		MDV-DxxG/N1YB
	S series wall-mounted	MDV-DxxG/N1-S
		MDV-DxxG/DN1-S
	Wall-Mounted	MI-xxG/DHN1-M
	Mural	MSAGDU-xxHRFN8-QRD0GW (2)
		MSAGCU-xxHRFNx-QRD0GW (2)
		MSAGBU-xxHRFN8-QRD1GW(GA) (2)
		MSAGDU-xxHRFNx-QRD0GW (2)
		MSMBAU-xxHRFN1-QRD0GW(B) ²
		MSMBBU-xxHRFN1-QRD0GW(B) ²
		MSMBCU-xxHRFN1-QRD0GW(B) ²
MSMBDU-xxHRFN1-QRD0GW(B) ²		
FAN COILS DC VRF	VxxB	
VRF	MI-xxG/DHN1-M	
Console	Console	MDV-DxxZ/DN1-B
	Console with/without casing	MI-DxxZ/N1-F4
	Console double flow multi	MFAI-xxHRFN1-QRC8
		MFAU-xxHRFN1-QRD0
		MFA-xxHRFN1-QRC8W

² This units needs a MULTIFUNCION BOARD (Contact your supplier).

	VRF	MDV-DxxZ/DN1-B
Fresh air unit	Fresh air unit	MDV-DxxT1/N1-FA
Column	TYPE N	MFM-xxHRFN1-QRD0
		MFM-xxARFN1-RRD0

- The models are referred to **indoor units**, not references of indoor plus outdoor units. / *Los modelos se refieren a **unidades interiores**, no referencias a unidades interiores más exteriores.*
- Any AC unit with a model number not specified in this list might not be compatible with the AC interface and therefore can't be used without previously checking the model compatibility, **contact your supplier** for this. / *Cualquier modelo de aire acondicionado que no esté en la lista puede no ser compatible con la pasarela y por tanto no puede utilizarse sin consultar la compatibilidad del modelo. **Contacte con su proveedor** para conseguir esta información.*
- xx stands for the power of the indoor unit / xx especifica la potencia de la unidad interior(01/02/03/07/09/12/14/15/18/22/24/28/30/36/45/54/56/60/71/72/80/90/100/112/125/140/160/200/250/280/300/400/450/500/560/600/750/950/1200/1500)

1. Compatible Outdoor Units / Unidades exteriores compatibles

All units including the **XYE** connector and compatible with the **MD-CCM03..09/E** central controller are compatible with our solution. / Todas las unidades que incluyan el conector **XYE** y sean compatibles con el control centralizado **MD-CCM03..09/E** son compatibles con nuestra solución..

OUTDOOR UNIT Type <i>TIPO DE UNIDAD EXTERIOR</i>	Reference <i>Referencia</i>
EXCELLENCE VRF	MDV-VxxxW/DN1
	MDV-VxxxW/DN1(B)
	MDV-VxxxW/DRN1
	MDV-VxxxW/DRN1(A)
	MDV-xxxW/DRN1-i(B)
	MDV-xxxW/DRN1-i(C)
	MV5-ExxxW/V2GN1
	MV5-XxxxW/V2GN1
	MDVS-xxx(8)W/DRN1
	MDVS-xxx(10)W/DRN1
	MDVS-xxx(12)W/DRN1
	MDV-xxx(8)W/D2RN1T(C)
	MDV-xxx(10)W/D2RN1T(C)
	MDV-xx(12)W/D2RN1T(C)
	MDV-xxx(14)W/D2RN1T(C)

	MDV-xxx(16)W/D2RN1T(C)
	MV-xxx(8)W/D2RN1T(D)
	MV-xxx(10)W/D2RN1T(D)
	MV-xxx(12)W/D2RN1T(D)
	MV-xxx(14)W/D2RN1T(D)
	MV-xxx(16)W/D2RN1T(D)

- For systems with compatible outdoor units (X/Y/E) and where the Indoor Units communicate with the outdoor unit over P/Q/E, it suffices to connect one **Midea Commercial & VRF** with the outdoor unit to control all the indoor units. / *Para los sistemas con unidades exteriores compatibles, y donde las unidades interiores se comunican con la unidad exterior a través de P/Q/E, es suficiente conectar un solo **Midea Commercial & VRF** con la unidad exterior.*
- Any AC unit with a model number not specified in this list might not be compatible with the AC interface and therefore can't be used without previously checking the model compatibility, **contact your supplier** for this. / *Cualquier modelo de aire acondicionado que no esté en la lista puede no ser compatible con la pasarela y por tanto no puede utilizarse sin consultar la compatibilidad del modelo. **Contacte con su proveedor** para conseguir esta información.*

HMS Industrial Networks S.L.U.

© 2020 HMS Industrial Networks S.L.U. All rights reserved.

This document has been carefully written by HMS Industrial Networks S.L.U. and a lot of effort has been made to ensure no errors or mistakes are present in the document. HMS Industrial Networks S.L.U. is not responsible for printing or clerical errors.

Information in this document is subject to change without notice. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or any means electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of HMS Industrial Networks S.L.U.

HMS Industrial Networks S.L.U.

Milà i Fontanals, 7

08700 Igualada

Spain

Intesis™ is a trademark of HMS Industrial Networks S.L.U. Third party product names, company names and logos used in this document may be trademarks of their respective companies. Their use in this document is purely for information purposes only.