

# DELTA miro – New addition to the range

## DELTA Switches and Socket Outlets



DELTA miro color  
electrical white/electrical white

Another color has been added to the DELTA miro range – DELTA miro color electrical white. With its larger variety of colors, DELTA miro now offers any even more choice for design solutions.

### ■ Versions for every taste

DELTA miro color electrical white is suitable in particular for areas in which warm tones are preferred. The new version is the ideal supplement for the entire DELTA miro portfolio. DELTA miro is available with a real aluminum frame in four different versions, glass frames in five color versions, real wood frames in five wood versions, and color now in four plastic versions. As with all the lines, the new color version is available for a broad range of functions.

### Highlights

- Clear-cut design available in four different materials: glass, aluminum, wood and plastic (color)
- The diversity of available materials offers greater flexibility
- Degree of protection: IP20, IP44 with set of seals
- Comprehensive functionality: shutter/blind controls, motion detection, dimmer control, communication, data and voice networks and connection to GAMMA *instabus*



# DELTA miro




## Overview

DELTA miro glass Real glass					
	Crystal green/aluminum metallic	White/titanium white	Black/aluminum metallic	Orient/carbon metallic	Arena/electrical white
DELTA miro aluminum Real aluminum					
	Natural/aluminum metallic	Titanium/carbon metallic	Graphite/titanium white	Yellow oxide/electrical white	
DELTA miro wood Real wood					
	Maple red/aluminum metallic	Maple/titanium white	Beech <sup>1)</sup> /carbon metallic	Cherry <sup>1)</sup> /aluminum metallic	Wenge/aluminum metallic
DELTA miro color Plastic					
	Titanium white/titanium white	Electrical white/electrical white	Aluminum metallic/aluminum metallic	Carbon metallic/carbon metallic	

<sup>1)</sup> Color achieved through staining.

## Selection and ordering data (Dated 11/2009)

	Version	DT	Order No.	PU	PS*/ P. unit	PG
				Unit(s)	Unit(s)	
 5TG1 201	<b>Frames, 90 mm, real glass</b>					
	Versions					
	• Crystal green					
	- Single, 90 mm x 90 mm	A	5TG1 201	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 202	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 203	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 204	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 205	1	1	021
	• White					
	- Single, 90 mm x 90 mm	A	5TG1 201-1	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 202-1	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 203-1	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 204-1	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 205-1	1	1	021
	• Black					
	- Single, 90 mm x 90 mm	A	5TG1 201-2	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 202-2	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 203-2	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 204-2	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 205-2	1	1	021
	• Orient					
	- Single, 90 mm x 90 mm	A	5TG1 201-3	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 202-3	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 203-3	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 204-3	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 205-3	1	1	021
	• Arena					
- Single, 90 mm x 90 mm	A	5TG1 201-4	1	1	021	
- Double, 161 mm x 90 mm	A	5TG1 202-4	1	1	021	
- Triple, 232 mm x 90 mm	A	5TG1 203-4	1	1	021	
- Quadruple, 303 mm x 90 mm	A	5TG1 204-4	1	1	021	
- Quintuple, 374 mm x 90 mm	A	5TG1 205-4	1	1	021	
 5TG1 121-0	<b>Frames, 90 mm, real aluminum</b>					
	Versions					
	• Natural					
	- Single, 90 mm x 90 mm	A	5TG1 121-0	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 122-0	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 123-0	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 124-0	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 125-0	1	1	021
	• Titanium					
	- Single, 90 mm x 90 mm	A	5TG1 121-1	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 122-1	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 123-1	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 124-1	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 125-1	1	1	021
	• Graphite					
	- Single, 90 mm x 90 mm	A	5TG1 121-2	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 122-2	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 123-2	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 124-2	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 125-2	1	1	021
	• Yellow oxide					
	- Single, 90 mm x 90 mm	A	5TG1 121-3	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 122-3	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 123-3	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 124-3	1	1	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 125-3	1	1	021

	Version	DT	Order No.	PU	PS*/ P. unit	PG
				Unit(s)	Unit(s)	
 5TG1 101-2	Frames, 90 mm, real wood					
	Versions					
	• Maple red					
	- Single, 90 mm x 90 mm	A	5TG1 101-2	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 102-2	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 103-2	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 104-2	1	1	021
	• Maple					
	- Single, 90 mm x 90 mm	A	5TG1 101-3	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 102-3	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 103-3	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 104-3	1	1	021
	• Beech (color achieved through staining)					
	- Single, 90 mm x 90 mm	A	5TG1 101-4	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 102-4	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 103-4	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 104-4	1	1	021
	• Cherry (color achieved through staining)					
	- Single, 90 mm x 90 mm	A	5TG1 101-1	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 102-1	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 103-1	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 104-1	1	1	021
	• Wenge					
	- Single, 90 mm x 90 mm	A	5TG1 101-0	1	1	021
	- Double, 161 mm x 90 mm	A	5TG1 102-0	1	1	021
	- Triple, 232 mm x 90 mm	A	5TG1 103-0	1	1	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 104-0	1	1	021
 5TG1 111-3	Frames, 90 mm, plastic					
	Versions					
	• Titanium white (similar to RAL 9010)					
	- Single, 90 mm x 90 mm	A	5TG1 111-0	1	1/10	021
	- Double, 161 mm x 90 mm	A	5TG1 112-0	1	1/10	021
	- Triple, 232 mm x 90 mm	A	5TG1 113-0	1	1/10	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 114-0	1	1/10	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 115-0	1	1/3	021
	• Electrical white (similar to RAL 1013) 					
	- Single, 90 mm x 90 mm	A	5TG1 111-3	1	1/10	021
	- Double, 161 mm x 90 mm	A	5TG1 112-3	1	1/10	021
	- Triple, 232 mm x 90 mm	A	5TG1 113-3	1	1/10	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 114-3	1	1/10	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 115-3	1	1/3	021
	• Aluminum metallic (similar to RAL 9006)					
	- Single, 90 mm x 90 mm	A	5TG1 111-1	1	1/10	021
	- Double, 161 mm x 90 mm	A	5TG1 112-1	1	1/10	021
	- Triple, 232 mm x 90 mm	A	5TG1 113-1	1	1/10	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 114-1	1	1/10	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 115-1	1	1/3	021
	• Carbon metallic (similar to RAL 7016)					
	- Single, 90 mm x 90 mm	A	5TG1 111-2	1	1/10	021
	- Double, 161 mm x 90 mm	A	5TG1 112-2	1	1/10	021
	- Triple, 232 mm x 90 mm	A	5TG1 113-2	1	1/10	021
	- Quadruple, 303 mm x 90 mm	A	5TG1 114-2	1	1/10	021
	- Quintuple, 374 mm x 90 mm	A	5TG1 115-2	1	1/3	021

\* You can order this quantity or a multiple thereof.

Siemens AG  
Industry Sector  
Building Technologies Division  
Postfach 10 09 53  
93009 REGENSBURG  
GERMANY

Subject to change without notice  
PDF only:  
(E10003-E38-9T-D2111-7600)  
PI 1109 En

© Siemens AG 2009

[www.siemens.com/delta](http://www.siemens.com/delta)

The information provided in this brochure contains descriptions or characteristics of performance which in case of actual use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. Availability and technical specifications are subject to change without notice.

All product designations may be registered trademarks or product names of Siemens AG or supplier companies whose use by third parties for their own purposes may violate the rights of the owner.